



## REKLUSE MOTOR SPORTS

Clutch Lever Kit

# INSTALLATION & USER'S GUIDE

Doc ID: 196-5000A

Doc Rev: 110816

## INSTALLATION TIPS

- Putting the motorcycle on a center stand will allow for easier installation.
- Be sure to wear proper protective equipment when working on your motorcycle.

## TOOLS NEEDED

- Metric End Wrench Set
- Metric T-Handle Set
- 5mm Allen Key

## INCLUDED PARTS

Item Type	Qty
Rekluse Adjustable Reach Clutch Lever	1



Visit [Rekluse.com/support](http://Rekluse.com/support) for a full parts fiche illustration and part numbers.

# DISASSEMBLY & INSTALLATION


1. Stand the bike upright using a kickstand or a center stand.



2. Using an end wrench or T Handle remove the OEM clutch lever.



3. Index the cable into the backside of the Rekluse adjustable reach lever.



4. Using an end wrench or T handle install the Rekluse clutch lever. Tighten your perch bolt to OEM specification.



## ADJUSTMENT OPTIONS

5. Use the reach adjuster bolt to set your Rekluse clutch lever at your desired position. Adjusting the bolt in will adjust the lever reach further out. Backing the bolt out will adjust the lever reach further in.



# REKLUSE®



©2016 Rekluse Motor Sports  
Rekluse Motor Sports, Inc.  
12000 W Franklin Rd  
Boise, Idaho 83709  
208-426-0659  
support@rekluse.com